

Indoor unit model name SRK25ZS-WFT Outdoor unit model name SRC25ZS-W2

Defiiverent				>==	
Refrigerant	R32	GWP	ť	375	
contribute less to appliance contai would be leaked over a period of	o global warming than ns a refrigerant fluid w to the atmosphere, the	a refrigerant ith a GWP e e impact on p interfere w	t with h equal to global	erant with lower global warming potential (GWP) would igher GWP, if leaked to the atmosphere. This 675. This means that if 1kg of this refrigerant fluid warming would be 675 times higher than 1kg of CO2, refrigerant circuit yourself or disassemble the product	I
Cooling mode					
SEER		8.5			
Energy efficie		A+++			
Design load (			kW		
Energy consu				per year based on standard test results.	
Actual ener	gy consumption will	depend on	how t	he appliance is used and where it is located.	
Heating mode (A	verage)				
SCOP	werage,	4.7			
Energy efficie	ency class	 A++			
Design load (			kW	(-10°C)	
Declared cap		2.70		(-10°C)	
Back up heat			kW	(-10°C)	
Energy consu				per year.based on standard test results.	
				he appliance is used and where it is located.	
	5)			- FF	
Heating mode (V	Varmer) Optional				
SCOP		5.8			
Energy efficie	ency class	A+++			
Design load (	Pdesignh)	3.3	kW	(2°C)	
Declared cap	acity	3.30	kW	(2°C)	
Back up heat	ing capacity	0	kW	(2°C)	
Energy consu	imption,	784	kWh	per year.based on standard test results.	
Actual ener	gy consumption will			he appliance is used and where it is located.	
Heating mode (C	Colder) Optional				
SCOP		-			
Energy efficie		-			
Design load (	<b>U</b> ,		kW	(-22°C)	
Declared cap	3		kW	(-22°C)	
Back up heat			kW	(-22°C)	
Energy consu				per year.based on standard test results.	
Actual ener	gy consumption will	depend on	how t	he appliance is used and where it is located.	
	level (indoor)	50		dB(A)	
Sound power	level (outdoor)	56		dB(A)	
-					